
Dashiell was made to be read. Designed by a devoted reader with lousy eyesight, it's an attempt to combine the warmth and frankness of Caslon with the lucid elegance of Garamond. Counters and x-height are ample but not large. Apertures are moderately open, and unbracketed wedge serifs add crispness. Its 31 styles include six weights and three optical sizes to meet a wide range of contemporary needs. Dashiell Text is an all-around workhorse: sturdy but open, with modest contrast, and carefully balanced to work both onscreen and on paper; the Black weights are unusually dark, with a hint of Cooper Black. Dashiell Bright has more sparkle, and is particularly suited to printed books and magazines. And the dramatic contrast and wiry hairlines of Dashiell Fine are best at large sizes; it includes an extra Light weight for especially delicate work. Named for Dashiell Hammett, whose succinct grace helped modernize twentieth-century American fiction, Dashiell supports over 140 languages. It includes proportional and tabular lining and oldstyle figures, small caps, case-sensitive punctuation and delimiters, and, for the non-succinct, a lush selection of borders and ornaments.

Dashiell Fine Light

Dashiell Fine Regular

Dashiell Fine Medium

Dashiell Fine Demi

Dashiell Fine Bold

Dashiell Fine X-Bold

Dashiell Fine Black

Dashiell Bright

Dashiell Bright Italic

Dashiell Bright Medium

Dashiell Bright Medium Italic

Dashiell Bright Demi

Dashiell Bright Demi Italic

Dashiell Bright Bold

Dashiell Bright Bold Italic

Dashiell Bright X-Bold

Dashiell Bright X-Bold Italic

Dashiell Bright Black

Dashiell Bright Black Italic

Dashiell Text

Dashiell Text Italic

Dashiell Text Medium

Dashiell Text Medium Italic

Dashiell Text Demi

Dashiell Text Demi Italic

Dashiell Text Bold

Dashiell Text Bold Italic

Dashiell Text X-Bold

Dashiell Text X-Bold Italic

Dashiell Text Black

Dashiell Text Black Italic

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for

24pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, whether from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochro-

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for

24pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, whether from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochro-

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for

24pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, whether from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochro-

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided that it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use strip-

24pt

**ANY NEGATIVE MAY BE USED FOR PHOTOGRA-
vure, taken from nature, a painting or an engraving,
provided it is reversed, and, in the case of paintings,
should, in addition, be on an orthochromatic plate.
The negative should be soft, brilliant, well exposed,
and not hard or under-exposed. A reversed negative**

32pt

**ANY NEGATIVE MAY BE USED FOR
photogravure, whether from nature, a
painting, or an engraving, provided it is
reversed, and, in the case of paintings,
should, in addition, be on an orthochro-**

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided that it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use strip-

24pt

ANY NEGATIVE MAY BE USED FOR PHOTO-gravure, taken from nature, from a painting, or an engraving, provided it is reversed and, in the case of paintings, should in addition, be on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A re-

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, whether from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The nega-

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided that it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use

24pt

ANY NEGATIVE MAY BE USED FOR PHOTO-gravure, taken from nature, from a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A reversed negative is al-

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, whether from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The

18pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, a painting, or an engraving, provided that it is reversed, and, in the case of paintings, should in addition be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals

24pt

ANY NEGATIVE MAY BE USED FOR PHOTO-gravure, taken from nature, from a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A reversed negative is

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, whether from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, TAKEN from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is al-

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition be on an orthochro-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, TAKEN from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives, carefully retouched if necessary, as the professional photographic etchers have informed me

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by

12pt

ANY NEGATIVE MAY BE USED FOR PHOTO-gravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates

16pt

ANY NEGATIVE MAY BE USED FOR photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative should be

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is al-

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition be on orthochro-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, TAKEN from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives, carefully retouched if necessary, as the professional

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOgravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use

16pt

ANY NEGATIVE MAY BE USED FOR photogravure, that is, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, from a painting, or from an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds.

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

16pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives, carefully retouched

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Profes-

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition be on an or-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives,

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The nega-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition be on an or-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOgravure, taken from nature, a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate.

16pt

ANY NEGATIVE MAY BE USED FOR photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed nega-

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken,

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition be on an or-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, taken from nature, a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed

32pt

ANY NEGATIVE MAY BE USED for photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The nega-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, TAKEN from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives, carefully retouched if necessary, as the professional photographic etchers have informed me

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by

12pt

ANY NEGATIVE MAY BE USED FOR PHOTO-gravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates

16pt

ANY NEGATIVE MAY BE USED FOR photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative should be

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The nega-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, TAKEN from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives, carefully retouched if necessary, as the professional

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOgravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use

16pt

ANY NEGATIVE MAY BE USED FOR photogravure, that is, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, and properly exposed. A reversed negative is always necessary if the print from the copper

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, from a painting, or from an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of negatives, carefully retouched

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Profes-

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, and properly exposed. A reversed negative is always necessary if the print from the copper

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The negative

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care must be taken that you use the best of

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOgravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the cop-

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should be on an orthochromatic plate. The negative should be soft, brilliant, and well exposed. A reversed negative is necessary if the print from the copper plate

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The nega-

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft, brilliant, and well exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate.

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and exposed to a large lamp for about five seconds. Every care

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, taken from nature, a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should be on an orthochromatic plate. The negative should be soft, brilliant, and well exposed. A reversed negative is necessary if the print from the copper

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed and, in the case of paintings, on an orthochromatic plate. The

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is

32pt

ANY NEGATIVE MAY BE USED for photogravure, taken from nature, a painting or an engraving, provided it is reversed, and, in the case of paintings, is on an orthochromatic

8pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, THAT IS, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame from an albumen print from the original negative, the print made transparent with white wax by being placed on a piece of warm, clean metal and the wax rubbed over the face. To have the negative reversed, the print should first be placed, face out, against the glass of the printing frame, with its back against the sensitive surface of the transparency plate, the back closed in and

10pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image upon the copper plate. Professionals use stripping plates especially made for this purpose for small work, or the reversed negative may be made in the copying camera. A fairly good reversed negative can be made by contact in the printing frame

12pt

ANY NEGATIVE MAY BE USED FOR PHOTOGRAVURE, taken from nature, a painting or engraving, provided it is reversed, and, in the case of paintings, should, in addition, be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed negative is always necessary if the print from the copper plate is required to be similar in regard to right and left, or if no other means are to be taken, to reverse the image

16pt

ANY NEGATIVE MAY BE USED for photogravure, that is, taken from nature, or from a painting or engraving, provided it is reversed, and, in the case of paintings, should be on an orthochromatic plate. The negative should be soft and brilliant, well exposed, and not hard or under-exposed. A reversed nega-

32pt

ANY NEGATIVE MAY BE USED FOR photogravure, taken from nature, a painting, or an engraving, provided it is reversed, and, in the case of paintings, is on an orthochromatic

Oldstyle Figures

1234567890 → 1234567890

Tabular Figures

1234567890 → 1234567890

Tabular Oldstyle Figures

1234567890 → 1234567890

Arbitrary Fractions

1/9 3/8 25/32 → 1⁄9 3⁄8 25⁄32

Superiors & Inferiors

Estuarial³ H₂O → Estuarial³ H₂O

Ordinals

23^a 65^o → 23^a 65^o

Case-sensitive Forms

(NON-COM) «OBOE» → (NON-COM) «OBOE»

Ligatures

Define flee office afflict ruff Kafka surfboard fjord hofhaus
→ Define flee office afflict ruff Kafka surfboard fjord hofhaus

Small caps

Hamburg Frankfurt → HAMBURG FRANKFURT

Alternate Euro

€23.75 → £23.75

Alternate Arrows

← Exit → ←« Exit

Alternate Brackets

[italics mine] → ≀[italics mine]≀

Infant a, g, and y

Magyar → Magyar

Designed by Max Phillips.

Not all applications support OpenType features, and not all OpenType-aware applications support all OpenType features. OpenType is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

Text adapted from *Photogravure* by Henry R. Blaney
Published by the Scovill & Adams Company, 1895

©2020 Signal Type Foundry Limited
Dublin, Ireland
Dashiell is a trademark
of Signal Type Foundry Limited.
All rights reserved.

hello@signalfoundry.com